

AHCAL Time Response Analysis 3



François Corriveau



IPP / McGill University
Supported by DAAD and MPP


DAAD

2019.07.29




Time Walk Functions

ahc_hitTime:ahc_hitEnergy {ahc_nHits>21&&ahc_nHits<53}





ahc_hitTime:ahc_hitEnergy {ahc_nHits>21&&ahc_nHits<53}







Wider Range

vsenergy_20190709r_hitTimevsEne reco_run60382_testNewConstants.rc



Event Display: Electron




display_20190717s reco_run60512_testNewConstants.root



hitEnergy




hits/cell

occupancy



black: t<-30nsec




hitTime



XY

XZ




YZ



X

Y



Z




module#

chip#

channel#





gain





cell#

Event Display: Pion

display_20190710r reco_pion_n40GeV.root





hit time tags not as expected




Event Display: Muon

display_20190710q reco_run60382_testNewConstants.root




double event





Electron: Double Event

display_20190717t reco_run60512_testNewConstants.root




Electron: high occupancy event

display_20190724u reco_run60512_testNewConstants.root




hitden>20, hits>600



Electron: high occupancy event


display_20190724u reco_run60512_testNewConstants.root

Event = 1483 - 3d - Hits = 662



de>20, hi>600, en>10


hitEnergy>10 MIP




hitEnergy






hits/cell



occupancy




hitTime




black: t<-30nsec

Event = 1483 - 3d - Hits = 662 profile zy projection




XY

Event = 1483 - 3d - Hits = 662 profile zx projection




XZ

Event = 1483 - 3d - Hits = 662 profile yx projection




YZ

Event = 1483 - 3d - Hits = 662 y projection




X

Event = 1483 - 3d - Hits = 662 z projection




Y

Event = 1483 - Hits per Module




module#

Event = 1483 - Hits per Chip




chip#

Event = 1483 - Hits per Channel




channel#

Event = 1483 - Corrected Hit Time



gain


Event = 1483 - Hits per Gain




cell#

Electrons: hitTime vs Gain/BeanCrossing

vsbx_20190719b reco_run60512_testNewConstants.root









low gain



10

Muons: hitTime vs Gain/BeamCrossing

vsbx_20190719b reco_run60382_testNewConstants.root




even BX

odd BX


Electrons: hitTime vs Gain/BeamCrossing

vsbx_20190719c reco_run60512_testNewConstants.root




.. Hit Time vs Hit Energy

`vsbx_20190719e reco_run60512_testNewConstants.root`




.. same for Muons

vsbx_20190719e reco_run60382_testNewConstants.root




Muons: Time Walk Correction + Resolution

vsbx_20190723I reco_run60382_testNewConstants.root




Electrons: Time Walk Correction + Resolution

`vsbx_20190723k reco_run60512_testNewConstants.root`




Electrons: Global Correction + Resolution


vsbx_20190723n reco_run60512_testNewConstants.root



uncorrected




BX





Muons: 10% improvement
to ~2.9 ns

Electrons: from 16 to 10 ns?




gain

gain/BX




gain




Electrons: hitTime vs Gain/BeamCrossing

vsbx_20190724q reco_run60512_testNewConstants.root

hit times




hit times vs bif time



vsbx_20190724q reco_run60512_testNewConstants.root


hit times with
hit energy > 20 MIP




.. idem, vs hit Energy

vsbx_20190726u reco_run60512_testNewConstants.root

hit times




.. vs hit energy




no pattern

.. VS occupancy ahc_hitTime:hidden




no pattern

.. VS cell#




?

.. vs bif time








no pattern

.. vs raw TDC








?

.. vs event#




no pattern

.. vs #hits




no pattern

.. VS “roc”




no pattern

.. vs rawChipID




??

.. vs hit I (X)




??

.. vs hit J (Y)



??



.. vs hit K (Z)




no pattern

Time Walk: low/high gain

vsenergy_20190712r_hitTimevsEne reco_run60382_testNewConstants.rc




very different responses




Muons: Low vs High Gain

`vsenergy_20190716x_hitTimevsEne reco_run60382_testNewConstants.root`


time vs energy




time vs chipID



time vs channelID




time vs channelID



Electrons: Low vs High Gain

`vsenergy_20190716y_hitTimevsEne reco_run60512_testNewConstants.root`

time vs energy




all


low gain

high gain


time vs chipID



time vs channelID




time vs channelID



Electrons: Low vs High Gain

`vsenergy_20190716z_hitTimevsEne reco_run60512_testNewConstants.root`

time vs energy




all


low gain

high gain


time vs chipID



time vs channelID




time vs cellID



Muon Data: hit time vs position

`versust_20190725b_posvshitTime reco_run60382_testNewConstants.roc`

2d distributions




XY
X

XZ
Y

YZ
Z

time vs X/Y/Z



muons

“electrons”


muons

“electrons”


muons

“electrons”

time vs X/Y/Z
(projections)



X/Y/Z vs time
(projections)




~flat distributions X/Y/Z

Electrons: hit time vs position

versust_20190725b_posvshitTime reco_run60512_testNewConstants.root

2d distributions




XY
X

XZ
Y

YZ
Z

time vs X/Y/Z



muons

electrons


muons

electrons


muons

electrons

time vs X/Y/Z
(projections)



X/Y/Z vs time
(projections)




~sides later X/Y, slope in Z


Pions: hit time vs position

versust_20190725b_posvshitTime reco_pion_n40GeV.root


2d distributions




time vs X/Y/Z



time vs X/Y/Z
(projections)



X/Y/Z vs time
(projections)



~sides later X/Y, no slope in Z?

Summary

Hit time response is:

- very strongly dependent on hit energy (due to time walk / threshold), but similar for all types of particles, modules, chips, channels.
- somewhat dependent on cell number within channel at readout, especially for busy events such as electron showers
- almost independent on occupancy/hit density within a single channel ?
- very dependent on beam crossing (odd or even), especially for electrons, which leads to low time resolution.

Correlations with other event info were investigated, no clear pattern emerges.
Electronics effect? Time walk corrections improve resolution.

Study of events show limited usability of current time information/resolution.