

# LCTPC issues for the ILD LOI



#### LCTPC MOA to R&D/design a TPC: Status August2008

# Americas BNL \forall Carleton\foral Montreal req Victoria \forall Triumf\forall Cornell \forall Indiana\foral LBNL prom Louisiana Tech req

#### Observer groups

Iowa State
MIT
Purdue
Yale
TU Munich
UMM Krakow
Bucharest

#### Asia

Tsinghua√
CDC:
Hiroshima req
KEK √
JAX Kanagawa req
Kinki U√
Nagasaki InstAS req
Saga √
Kogakuin √
Tokyo UA&T req
U Tokyo req
Minadano SU-IIT req

#### Signatures 24

Promised 3

Requested 11

New groups welcome

Ron Settles MPI-Munich/DESY LCTPC planning for the LOI

#### Europe

Brusselsv LAL Orsay req IPN Orsay req CEA Saclay V Aachen √ *Bonn*√ DESY V **EUDET** U Hamburg √ Freiburg req Karlsruhe req MPI-Munich√ Rostock V Siegen prom NIKHEF\square Novosibirsk\square St. Petersburg Lundy CERNV

#### Additional Questions from IDAG (Draft)

June 22, 2008

IDAG wishes the proponents of the 3 LOI's to address the following points in their LOI document:

- (1) Sensitivity of different detector components to machine background as characterized in the MDI panel.
- (2) Calibration and alignment demes.
- (3) Status of an engin ering todel describing the support structures and the dead zones in the detector simulation
- (4) Plans for getting the press ary R&D results to transform the design concept into a well-defined dearctor preposal.
- (5) Push-pull ability with espect to technical aspects (assembly areas needed, detector transport and connections) and maintaining the detector performance for a stable and time-efficient operation.
- (6) A short statement about the energy coverage, identifying the deterioration of the performances when going to energies higher than 500 GeV and the considered possible detector upgrades.
- (7) How was the detector optimized: for example the identification of the major parameters which drive the total detector cost and its sensitivity to variations of these parameters.

#### 1. All sub-detectors

- overall sizes, especially outer and inner dia leters and total length
- total weight
- support method/mechanicm
- total cross section of colles and pipe (gas and cooling material) and the maximum diameter among them in order to detection gaps between sub-detectors for them
- location of front-er d electronics
- route of cable and pipe wracton, i.e. where and how are they extracted?
- total electric power consumption
- alignment n ethology, liver system- how to inject a laser beam, where the laser system is installed a.g.

#### 3. TPC

- How much is the field uniformity?
- a LCTPC note is available at http://www.mppmu.mpg.de/~settles/tpcbfieldlcnote31.pdf.
  - field reproducibility during push pull
  - anti-DID field is not constant, i.e. it will be varied during experiments
  - requires precise field measurement and calibration at Z-pole

We are planning to have a TPC talk in the subdetector technology session.

#### The purpose is

- a. to summarize the R&D status and present plans for LOI and toward the real detector.
- b. to present alignment and calibration schemes, and
- c. to present basic engineering design (including sup orts).

It is important that this is NOT intended to present surmany of all the specific and existing R&Ds.

For the presentation in Cambridge we hope that you can summarise the state of the subdet corry of are representing with a clear focus on the letter of inject. Things which probably should be covered are

- which resolutions can be realistically achieved
- which big risks exist as far as we are currently aware for this particular technology / system
- are there obvious options which we should consider within ILD that is, do we have a clear technological candidate, or are there more than one competing technologies.
- which parameters are from a subdetector point of view most relevant in an optimization process
- how well is the costing of the system understood
- are there major constraints from the subsystem on the detector integration etc (for this see also the questionare which was sent to you by the MDI group some time ago).

Many questions to answer for the LOI. An attempt to synthesize them into one list is  $\rightarrow$ 

#### <u>List of questions for this talk:</u>

#### LCTPC issues for the LOI

- 1. Performance goals
  - R&D plans/options/risks
  - How was the subdetector optimized?
     (e.g., using resolution, costing?)
- 2. Sensitivity to backgrounds
- 3. Calibration and alignment schemes
- 4. Engineering model for LOI and simulation
  - Size, weight, support, dead areas
  - · Endplate, electronics, power
  - · Fieldcage, chamber gas
- 5. Push-pull ability
- 6. √s coverage
- 7. Final comment
- N.B. These are suggestions for the LOI, and we expect to be iterating on them during the next few weeks...

- continuous 3-D tracking, easy pattern recognition throughout large volume
- ~98-99% tracking efficiency in presence of backgrounds
- time stamping to 2 ns together with inner silicon layer
- minimum of  $X_0$  inside Ecal (~3% barrel, ~15% endcaps)
- σ\_pt ~ 50⊕diffμm (rφ) and ~ 500μm (rz) @ 4T
- 2-track resolution <2mm (rφ) and <5mm (rz)</li>
- dE/dx resolution <5% -> e/pi separation, e.g.

#### modulo angles:

```
1) As a function of drift-distance L_(drift), the expression for t
```

 $sigma_{point}^2 = sigma_0^2 + Cd^2/N_{eff} * L_{drift}$ 

Proposal 1) on point resolution


=>sigma\_0^2 = (50micron)^2 + (900micron\*sin(phi))^2 (where phi is the local azimuthal angle of track wrt the padrow)

== Cd^2/N\_(eff)=25°2/(22/sin(theta)\*h/6mm)=(5.3micron/sqrt(cm))\*2\*(6mm/h)\*sin(theta (this is for B=4T which we favor, h is the pad beight=pad-row pitch in mm, theta is the polar anale)

=>sigma\_z(z)= sqrt{400micron\*\*2 + z(cm) x (80micron/sgrt{cm})\*\*2}

 design for full precision/efficiency at 10 x estimated backgrounds

R&D plans/options



Keisuke Fujii

/ Filter a standif. for a l


E=100[V/cm]

B=0[T]

σ0=23um. Cd=49 um/√cm

R&D plans/risks

...to be verified (or revised) after tests on the Large Prototype:



R&D plans/risks (cont'd)

•From the LCTPC MOA:

The LP tests will enable us to choose the best technology for constructing a real detector...

Workpackage	(0)	TPC	R&D	Program

Workpackage (1) Mechanics

- a) LP endplate structure with panels
- b) Fieldcage
- c) GEM panels
- d) Micromegas panels
- e) Pixel panels
- f) Panels with charge-dispersion-anode

Workpackage (2) Electronics

- a) Standard RO/DAQ sytem for LP
- b) CMOS RO electronics
- c) Electronics for LCTPC

Workpackage (3) Software


- a) LP software +simul./reconstr.framework
- b) LCTPC simulation/perf./backgrounds
- c) Full detector simulation/performance

Workpackage (4) Calibration

- a) Field map for the LP
- b) Alignment
- c) Distortion correction
- d) Radiation hardness of materials
- e) Gas/HV/Infrastructure for the LP
- Our basic approach for the ILD LOI has been to use optimistic assumptions as goals for TPC resolution, materal, etc. These goals are based on various R&D results (small-prototypes), continuing efforts (large-prototype/electronics/software developments) by LCTPC groups. So the only risk is that some goals turn out to be too aggressive.

- How was the subdetector optimized?
- ILD subdetectors must be optimized coherently by present optimization studies, : for the TPC, this means:

σ\_pt ~ 50⊕diffμm (rφ)




Physics determines detector design

\*Momentum  $d(1/p) \sim 3 \times 10^{-5}/GeV$  all tracking

 $10 \times 10^{-5}/GeV$  TPC


★ Tracking efficiency ~ 99% to help PFA reach dE/E ~ 0.25/√E



100 ΔΕ<sub>μ</sub> = 0.30 VΕ<sub>μ</sub>


80 σ

- How was the subdetector optimized? (e.g., using resolution, costing?)
- Resolution: previous slide.
- Costing: The TPC cost is nearly independent of the size for the different ILD models. Previous TPC estimates at ~25 M€ can only become reliable after the design decisions. For earlier ILD-detector estimates at ~ 500 M€, cost drivers are the magnet and the calorimeters, so the TPC cost is not an issue for the optimization.



#### 2. LCTPC sensitivity to backgrounds

See talk#3 in opening session today by Dr. Adrian Vogel. Status at LCW507:



Size [mm]

#### 3. LCTPC calibration and alignment schemes

#### TPC issues:

- Space charge due to ion "backflow"
  - In TPC volume due to positive ions: see previous slide.
  - At gas-amplification plane: eliminate ion sheets w/ gating plane.
- B-field: no requirement on homogeneity, only on accuracy of field map. See LC Note that Werner Wiedenmann and I finally finished:

LC-DET-2008-002 at http://www-flc.desy.de/lcnotes ILC-NOTE-2008-048 at http://ilcdoc.linearcollider.org/

The Linear Collider TPC: Revised Magnetic-field Requirements<sup>1</sup>

R. Settles<sup>2</sup>
Max-Planck-Institut für Physik, Föhringer Ring 6, D-80805 Munich, Germany

W. Wiedenmann<sup>3</sup> c/o Physics Department, University of Wisconsin at Madison, CERN PH Divison, CH-1211 Geneva, Switzerland

August 2008

Aleph field map was good enough but can be improved on to increase B-map accuracy for the LCTPC.

#### 3. Calibration and alignment schemes (cont'd)

#### Calibration tools for all tracking subdetectors:

- Z-peak running, 10/pb beginnin of year, 1/pb during (after push-pull e.g.).
   Internal alignment of each tracking subdetector, then between detectors.
   (See <a href="http://wisconsin.cern.ch/~wiedenma/TPC/Distortions/Cern\_LC.pdf">http://wisconsin.cern.ch/~wiedenma/TPC/Distortions/Cern\_LC.pdf</a> for examples of calibrating the Aleph TPC.)
- Physics data at  $\sqrt{s}$  also powerful (e.g. e+e- $\rightarrow \mu$ + $\mu$ -, radiative-returns to the Z)
- B-field map (see LC Note, preceeding slide)
- Hall/NMR probes on magnet and field cage
- Laser calibration system
- TPC: time-stamping using silicon layers


#### 4. LCTPC engineering model for LOI and simulation


- · Size, weight, support, dead areas
- · Size to be decided at this optimization meeting.

 $\emptyset$ \_outer  $\sim 3.6 m$ ,  $\emptyset$ \_innerILD2  $\sim 0.61 m$ ,  $\emptyset$ \_innerILD1  $\sim 0.75 m$  L\_outer  $\sim 4.7 m$ , tracking volume  $\sim 40 m^3$ 

- Weight ~ 4 t
- Support from Ecal, not from coil


as in Aleph...





...MDI designing LCTPC support

- 4. LCTPC engineering model for LOI
- Size, weight, support, dead areas (cont'd)
- Dead areas:
  - 10 cm in z at each endcap for "standard" electronics/cables (may be increased later)



Space needed for cables here ~10^3 cables/side thru 5cm rings ~ 1 m^2/side

```
2) Endplate thickness:
Proposal 2) on Endplate thickness:
=>X_{\text{tpcendplate}}/X_0 = 0.15
New Mokka list (** mark changes wrt old list):
              material
                               96 X 0
                             0.02 gating
 0.003
 0.03
            kapton
                            0.01
 0.003
             copper
                             0.02
 1.964
                              0.002
 0.003
                             0.02 mpgd
 0.03
                            0.01
 0.003
                             0.02
             copper
 1.964
                              0.002
 0.003
                             0.02 mpgd
 0.03
                            0.01
 0.003
                             0.02
             copper
 3.964
                              0.004
            copper
           g10
                          1.03
        silicon 2.33gccm 0.53 ROelectr
                     1.932
                       2.24 cooling
         Air(0.85)+G10(0.15) 0.02 air+
                 +6.22 g10 space/ROboards
                    14.77 %X 0
```

### 4. LCTPC engineering model for LOI and simulation

- Endplate, electronics, power
- This is about "standard" electronics (CMOS pixel-electronics require a separate study).
- Endplate material-estimate on preceeding slide.
- "Advanced endplate" meetings ongoing to understand the electronic density that will allow building a coolable, stiff, thin endplate.
- The present exercise assumes ~ 10<sup>6</sup> channels per endcap.
- With 0.5mW/channel with power pulsing, estimated by a EUDET development of a generalize TPC RO chip based on a further development of the Alice Pasa/Altro ⇒ 0.5kW/endcap
- Cooling (liquid or gas) still has to be studied. (Aleph had
   1.5kW/endcap cooled with a combination of liquid and gas.)

## 4. LCTPC engineering model for LOI and simulation

Fieldcage, chamber gas

Based on experience (Aleph, Star, Alice) and recent fieldcage

for the LP:





we estimate  $\sim 3-4\%$  X\_0 total for the inner and outer fieldcages.

Gas properties have been rather well understood by our many small-prototype R&D tests. The choice for the LCTPC will be a BIG issue which would require a long discussion for which there is no time here. This has no effect on the simualtion. For the engineering, the boundary condition is that we must use a non-flammable gas.

## 5. Push-pull ability

- At start, guess need 1/pb Z-peak calibration after each push-pull.
- This can probably be relaxed as experience is gained.
- Preliminary hardware discussion at IRENG07, SLAC Sept. 07:

# Services Detector ←→ Trailer

#### TPC:

- 500 W per end plate
- HV/service/data cables: ~ 10^3 per side
- Gas/cooling supply
- Alignment laser
- 50-200kW racks in the counting house (trailer)



#### 6. √s coverage

- Present optimization studies should confirm a good ILD performance up to 1 TeV.
- The highest possible momentum of a single particle is 0.5 TeV/c which will be measured to dp/p  $\sim$  1.5% by combined tracking and  $\sim$  5% by the TPC alone.
- The peak of the momentum distribution of all produced particles (zero to a few 10s of GeV) remains unchanged as √s increases while the tail to high momenta grows. Therefore the vast majority of the particles, the ILD tracking performance will be more than adequate as the c.m.s. energy goes up to and beyond 1 TeV.
- Since the multi-jet numbers grows with logarithmically with √s, the average jet energy increases slowly. For, say, 10-jet production at 1 TeV, the jets will have ~ 0.1 TeV on average, and our PFA resolution is still very good at 0.1 TeV jet energy. ∴ PFA should also be good up to 1 TeV. Of course real life is more complicated, so simulations are needed at 1 TeV.

#### 7. Final comment

- Present optimization studies are showing minor differences in the physics performance of GLD' and LDC', therefore why not simply choose one or the other?
- Also this means that the hardware baseline we choose for the LOI doesn't have to agree exactly with the ones generated for the simulation of LDC' or GLD'.